



Choosing the Right **Daytek**. Clothesline


Outdoor clotheslines are the most cost effective and environmentally friendly laundry drying solution.

When choosing your clothesline you need to consider the following key points:

- 1. The size and volume of your washing requirements
- 2. How frequently you do the laundry
- 3. The amount of clear space you have in your back yard or around your home.

Rotary Clotheslines have the largest overall line space but require a large backyard. If you have the space a Rotary Clothesline offers the best drying solution. The Daytek Rotary head can be folded down and the entire unit removed from the ground socket when not in use, giving you back your valuable yard space when needed.

If there is not enough room for a Rotary Clothesline then our Fold Down Clotheslines or Retractable Clotheslines offer a good sized drying space while not taking up valuable yard space.



Fold Down Clotheslines offer flexibility in a range of sizes and fold away when not in use.

- Single and Twin models are an excellent medium space option offering 24 metres of line space.
 They can be mounted either on a wall or using the Daytek Ground Mount Kit.
- Slim and Mini models use minimal room and at only 645mm deep in the up position are ideal in narrow spaces.

Retractable Clotheslines are a perfect solution when you need a family sized drying space, but yard space is at a premium. They are the least obtrusive of all clothesline models with lines that extend out effortlessly when required and retract away out of sight when not in use. Easy to operate, the line locking mechanism tensions and securely locks all lines with less than a single turn of the handle.

Daytek Colours

Daytek Rotary and Fold Down clotheslines are available in a standard range of colours and sizes, however if you have something different in mind, Daytek can customise your clothesline to suit your specific needs.

Daytek has spent effort and time to ensure that the standard range of colours matches or compliments the most popular colourbond colours used in Australia.

Custom options include an additional range of colours and dimensions suited to your requirement. Contact the Special Orders desk at your local Bunnings warehouse for details.

Standard Colours

Fold Down Clothesline Range standard colour options are Light Grey and Anthracite Black.

tions are standard colour options are nracite Black. Anthracite Black and Hawthorn Green.

Rotary Clothesline Range

Light Grey	Anthracite	Hawthorn Green
	Black	

Special Order Colours

Primrose	Asteroid Pearl	Mercury Silver
White Mist	Timber Grey	Iron Grey
Sand	Obsidian	Bedrock Grey
Bark	Black Satin	Coastal Blue





The Steel Powder Coat colours in this brochure have been reproduced to represent actual product colours as accurately a spossible. Limitations of the printing process may affect colour tones.

Warranty

Many products offered by Daytek Australia Pty. Ltd. come with Warranties in addition to the standard protections offered to our customers under law.

The products that have these additional Warranties; of either 25 years, 15 years, 5 years or 2 years; have such warranties noted on the packaging, and on our website.

An example of a 25 year Warranty to be found on our packaging is below:

25 Year Product Warranty


Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be acceptable quality and the failure does not amount to a major failure.


If any part of this clothesline fails to operate correctly due to faulty workmanship or defective

material Daytek Australia will repair or replace free of cost within 25 years from the date of purchase. (Receipt of purchase required). The PVC line is covered by a 2 year warranty from the date of purchase. Any evidence of misuse or incorrect adjustment will void the warranty. To claim a product warranty, please contact Daytek Australia directly. You must bear the cost of claiming the warranty. This warranty is in addition to other rights and remedies of the customer under law.



Daytek. Rotary Clotheslines






Model	M38	M48	M58
No. of Lines	6	7	8
Line Space	38m	48m	58m
Max Line Length	2.2m	2.5m	2.65m
Head Diameter	3.2m	3.6m	3.9m
Space Required	4.2m	4.6m	4.9m
Sheet Size	Double	Queen	King



Model	M38		M48		M58	
Standard Colours	Product Code	Item No.	Product Code	Item No.	Product Code	Item No.
Hawthorn Green	A02841005	0137960	A02841035	0137977	A02841065	0138000
Anthracite Black	A02843001	0137961	A02841031	0137978	A02841061	0138001
Special Order Colours						
Primrose	A02843011	0137966	A02841040	0137982	A02841070	0138005
White Mist	A02843030	0137965	A02841044	0137986	A02841074	0138010
Bark	A02841002	0137956	A02841032	0137974	A02841062	0137997
Light Grey	A02841007	0137962	A02841037	0137979	A02841067	0138002
Mercury Silver	A02841008	0137963	A02841038	0137980	A02841068	0138003
Sand	A02843012	0137967	A02841041	0137983	A02841071	0138007
Asteroid Pearl	A02841017	0137970	A02841045	0137987	A02841075	0138011
Timber Grey	A02841014	0137968	A02841042	0137985	A02841072	0138008
Black Satin	A02841015	0137958	A02841047	0137976	A02841077	0137999
Obsidian	A02841009	0137964	A02841039	0137981	A02841069	0138004
Iron Grey	A02841006	0137969	A02841036	0137988	A02841066	0138012
Bedrock Grey	A02841004	0137955	A02841034	0137973	A02841064	0137996
Coastal Blue	A02841003	0137957	A02841033	0137975	A02841063	0137998



Daytek. Fold Down Clotheslines



In 2013 the Daytek Fold Down clothesline range received a Good Design Award from the Australian Design Council. Featuring a glass fibre reinforced nylon wall bracket across all four models. The patented Lift & Lock system makes operation a breeze.

Features & Benefits

- High tensile steel tube for maximum strength
- Galvanised and powder coated for corrosion resistance
- One piece front bar for superior strength
- Patented Lift & Lock system
- Strong UV stabilised glass fibre reinforced nylon wall bracket
- Integrated line tensioners
- Easy threading line brackets
- Folds down when not in use
- Matching Ground Mount Kit available for stand alone installation
- Custom colours are available upon request
- 25 year structural warranty*
- * excludes line (hank) which has a 2 year replacement warranty







Model	Single	Twin	Slim	Mini
No. of Lines	11	11	6	6
Line Space	24m	24m	13m	9m
Overall Width	2,240mm	2,240mm	2,240mm	1,540mm
Mounting Hole Spacing	2,220mm	2,220mm	2,220mm	1,520mm
Depth	1,020mm	1,144mm	645mm	645mm





	Single Fo	ld Down	Twin Fold	Down	Slim Fold	Down	Mini Fold	Down
Standard Colours	Product Code	Item No.	Product Code	Item No.	Product Code	Item No.	Product Code	Item No.
Light Grey	A02841107	0137586	A02841137	0137938	A02841167	0137921	A02841197	0137827
Anthracite Black	A02841101	0137589	A02841131	0137942	A02841161	0137926	A02841191	0137831
Special Order Colours								
Primrose	A02841110	0137594	A02841140	0137946	A02841170	0137930	A02841200	0137835
White Mist	A02841114	0137599	A02841144	0137950	A02841174	0137934	A02841204	0137839
Bark	A02841102	0137591	A02841132	0137943	A02841162	0137927	A02841192	0137832
Mercury Silver	A02841108	0137592	A02841138	0137944	A02841168	0137928	A02841198	0137833
Sand	A02841111	0137595	A02841141	0137947	A02841171	0137931	A02841201	0137836
Asteroid Pearl	A02841115	0137600	A02841145	0137952	A02841175	0137936	A02841205	0137840
Timber Grey	A02841112	0137596	A02841142	0137948	A02841172	0137932	A02841202	0137837
Black Satin	A02841113	0137588	A02841143	0137940	A02841173	0137923	A02841203	0137829
Obsidian	A02841109	0137593	A02841139	0137945	A02841169	0137929	A02841199	0137834
Iron Grey	A02841105	0137597	A02841136	0137949	A02841166	0137933	A02841196	0137838
Bedrock Grey	A02841104	0137585	A02841134	0137937	A02841164	0137920	A02841194	0137826
Coastal Blue	A02841103	0137587	A02841133	0137939	A02841163	0137922	A02841193	0137828
Hawthorn Green	A02841106	0137590	A02841135	0137941	A02841165	0137924	A02841195	0137830



Daytek. Ground Mount Kits

The Daytek Ground Mount Kit offers a free standing installation solution for Fold Down Clotheslines and provides greater flexibility in the choice of sites. Available in a full range of colours to match Daytek Fold Down clotheslines. All fasteners required for installation are included.

Options available include Ground Mount Kit - In Ground and the Ground Mount Kit - With Base for installation onto an existing concrete slab. The base plate features a drainage hole to prevent moisture build up within the posts.

Suits Daytek Single, Twin and Slim Fold Down Clotheslines. Ground Mount Kit for Daytek Mini Fold Down available through the Special Orders desk.

Features & Benefits


- High tensile steel tube for maximum strength
- Galvanised and powder coated for corrosion resistance
- Colour matched to Daytek Fold Down range
- Pre-drilled fixing holes to suit Daytek Fold Down Range
- Bolt pack for mounting Fold Down clothesline included
- 25 year structural warranty



	Ground Mount	Kit - In Ground	Ground Mount	Kit – With Base
Standard Colours	Product Code	Item No.	Product Code	Item No.
Light Grey	A02840519	0138208	A02845016	0138213
Anthracite Black	A02840127	4510486	A02840163	4510648
Special Order Colours				
Primrose	A02840575	4511079	A02840170	4510655
White Mist	A02840506	4510908	A02840509	4510911
Bark	A02840105	4510485	A02840164	4510649
Mercury Silver	A02840156	4510271	A02840169	4510654
Sand	A02840104	4510249	A02840171	4510656
Asteroid Pearl	A02840516	0138209	A02845017	0138214
Timber Grey	A02840108	4510268	A02840172	4510657
Black Satin	A02840517	0138211	A02841018	0138215
Obsidian	A02840504	4510906	A02840507	4510909
Iron Grey	A02840566	4510180	A02840168	4510653
Bedrock Grey	A02840518	0138207	A02845015	0138212
Coastal Blue	A02840153	4510270	A02840165	4510650
Hawthorn Green	A02840159	4510272	A02840167	4510652







Daytek. Retractable Clotheslines

Retracting Clotheslines are a perfect solution when you need a family sized drying space but yard space is at a premium. They are the least obtrusive of all clothesline models with lines that extend out effortlessly when required and retract away out of sight when not in use.

coated steel cabinet and each line is independently sprung and housed in its own cartridge. Easy to operate, the line locking mechanism tensions and





Micro Indoor Retractable Clothesline

Perfect for indoor drying when space is limited.

Features & Benefits

- 3.5m Hanging Space
- Available in two colours
- Wall mount fixings included
- 1 year warranty

	·	
Colour	Product Code	Item No.
White Pearl	A02841302	0135248
Asteroid Pearl	A02841302	0135248



Daytek. Retractable Clothesline Mounting Kit

Post to Post

Mounting Kit required

Retractable Clothesline Mounting Kits are available separately for wall to post and post to post installations. All fixings required for Wall to Wall installation are included with the Retractable Clothesline. The Retractable Clothesline Mounting Kit is suitable for the Daytek 4, 5, and 6 line Retractable Clotheslines.

Features & Benefits


- High tensile steel tube for maximum strength
- Galvanised and powder coated for corrosion resistance
- All required fixings included
- 25 year structural warranty

Wall to Post

1 x Retractable Clothesline

Mounting Kit required





Daytek. Laundry Trolley

Designed to make hanging out washing a breeze, Daytek Laundry Trolleys are sturdy and easy to use. Both models feature a safety catch to prevent collapse whilst in use and fit most laundry baskets.

Daytek Laundry Trolley

- Strong, light and easy-to-wheel
- Safety catch for easy storage
- Non-marking UV-stable wheels
- Folds-up between uses
- Fits most laundry baskets

Colour	Product Code	Item No.
Asteroid Pearl	A02840315	4510724

Length 650mm Depth 430mm Height 800mm





Basket not included

Daytek. Airers

If drying laundry on a Rotary, Fold Down or Retractable clothesline is not possible, then these mobile Airers are the perfect solution. They are ideal for apartment living and fold away for easy storage.

Daytek Winged Airer

- 18 metres of drying space Folds flat for easy storage
- 3 drying configurations • Strong and lightweight
- 3 year warranty

Length 1950mm Depth 560mm Height 940mm

Colour		Product Code	Item No.
Asteroid Pearl	Pearl Blue	A02840314	4510723



Winged Airer alternative drying configuration

Winged Airer folded away

Daytek Aluminium 3 Tier Tower Airer

- Lightweight aluminium frame
- 30 metres of hanging space
- 42 Hanging rails
- 14 Coat hanger slots
- Removable coat hanger brackets
- Lockable castor wheels
- Takes long garments & hangers
- Many drying configurations
- Folds flat for easy storage
- 5 year warranty

Length 728mm Depth 710mm Height 1550mm

Colour	Product Code	Item No.
Blue	A02840348	0013498



Alternative drying configuration



Removable coat hanger brackets for drying long items







Daytek. Spare Parts

Daytek always have a full range of spare parts available. Contact the Special Orders Desk at your local Bunnings.



 Rotary Gearbox & Handle (Mk2)

 A02842031
 TBC



Rotary Ground Socket Cap with Hole R1490026 4510832



Rotary Slide Cover (Mk2)
R1490291 TBC



Rotary Ground Socket & CapA02840610 4514873



Rotary Upper Wind Brake A02840929 4510831



Rotary Line Tensioners - 10pk (Mk2) A02842032 TBC



Fold Down Clothesline Corner Bracket (Mk2) A02842018 TBC





Fold Down Clothesline
Line Bracket (Mk2)

A02842016 TBC



| Replacement Clothesline Cord (Hank) - Grey | 30 metre | A02840630 | 4510626 | 60 metre | A02840620 | 4510252 |

Custom Made Fold Down Clotheslines



Daytek. Custom Made Fold Down Clotheslines allow you to make the most of your available space, maximising your drying area.

For superior strength and quality, all Daytek Fold Down and Rotary clotheslines are manufactured from high tensile galvanised steel tube and powder coated. All Daytek Lift & Lock (Mk2) Fold Down and Rotary (Mk2) Clotheslines are supported with a 25 year structural warranty* and are backed with a full range of spare parts. Our Fold Down clotheslines can be mounted on a wall or using the Daytek Ground Mount Kit. * Excludes line which has a 2 year replacement warranty





Choose the Installation Site and Plan


Select the Installation Type - Existing Structure or Ground Mount Kit

Select your installation site; carefully examine the site to ensure the area is free of obstructions and has sufficient clearance to operate the clothesline comfortably.

Rotary Clothesline

All Rotary clotheslines must be mounted into the ground via a Daytek Rotary Ground Socket (Included with clothesline). Minimum recommended clearance at all sides of the clothesline is 0.5m.

Model	M38	M48	M58
Head diameter	3.2m	3.6m	3.9m
Minimum clearance diameter	4.2m	4.6m	4.9m



Fold Down Clothesline

Fold Down clotheslines can be mounted either onto an existing structure such as a wall or fence posts or you can use a Ground Mount Kit.

If you plan to fix your clothesline onto an existing structure check that the structure is sound and able to support your clothesline; on timber walls or fences check the location of studs or posts.

Consider using a **Daytek Ground Mount Kit** for a free standing installation for maximum strength and greater flexibility of site choice.

Daytek Ground Mount Kits come in two configurations; standard for an in ground installation or with a base for installation onto an existing concrete pad.

All fasteners required for the mounting of your Fold Down Clothesline to the Ground Mount Kit are included in the pack.





Choose the Style

Select the model to suit your needs - Single, Twin or Rotary

The **Daytek Single Fold Down Clothesline** is the most popular model in the Daytek Fold Down range.



The **Daytek Twin Fold Down Clothesline** has all the features of the Daytek Single Fold Down with the added versatility of two frames that operate independently.



The **Daytek Rotary Clothesline** offers maximum drying space suitable for large family and large backyards.





Use our guide to measure and order your clothesline

Fold Down Clothesline


1. Width

What is the required width (mounting centre to mounting centre) of your clothesline in millimetres? Write this value in **Box A (The maximum allowable width is 2,980mm).**

Note: ensure your selected space has a minimum 50mm clearance either side of this measurement.

If you <u>do not</u> require a custom width, please choose a standard width from the 3 options to the right and enter value into **Box A**.

Mini	1520mm
Slim/Single	2220mm
Twin	2220mm



A

2. Depth

Select from the tables to the right the clothesline depth most suited to your needs (The corresponding number of hanging lines is shown for your reference). Write the chosen depth in **Box B.**


Note: For any width over 2,480mm, the maximum allowable depth selection is Single 865mm (9 Lines) and Twin 989mm (9 Lines).

3. Final Check

- Double check your measurements.
- Make sure there will be sufficient clearance in both the up and folded positions to operate the clothesline.

For SINGLE FRAME clotheslines select from this table			Standard Mini/Slim					Standard Single				
N	lumber of lines	3	4	5	6	7	8	9	10	11	12	13
	lothesline depth rom wall (mm)	415mm	490mm	565mm	640mm	715mm	790mm	865mm	940mm	1015mm	1090mm	1165mm

For TWIN FRAME closelect from this tab	Standard Twin			
Number of lines	9 10		11	12
Clothesline depth from wall (mm)	989mm	1064mm	1139mm	1214mm



Rotary Clothesline

Daytek can customise the height of a Rotary Clothesline to suit your needs.

1. Hanging Arm Height


Determine your required Hanging Arm Height (note the max. and min. heights shown on the diagram to the right). Write value in **Box C.**

Note: The height of the clothesline should be approximately 50mm from the users head.

All Daytek clotheslines come with a ground socket that provides 3 height adjustment options. The measurement entered into Box C will be measured from the mid height setting. This will allow you to still adjust the sitting height of your clothesline 75mm above or below your chosen measurement if required.

2. Final Check

Double check your measurement to ensure it is suitable to your needs.





Choose the Colour

Select the colour that best matches your home - roof, gutters, window frames, fence



Primrose	Asteroid Pearl	Light Grey	Mercury Silver	
White Mist	Timber Grey	Bedrock Grey	Iron Grey	T
Sand	Obsidian	Black Satin	Coastal Blue	c tl
Bark	Anthracite Black	Hawthorn Green		

The Steel Powder Coat colours in this leaflet have been reproduced to represent actual product colours as accurately as possible. Limitations of the printing process may affect colour tones.



Order Form

Complete the Order Form below.

Customer Name		Contact Number		
Store	Team Member		Order Number	
Special Order Colour Only	OR	Custom S	Size	
1. Select Model: Rotary Single Fold Down Slim Fold Down 2. Select Colour:	Twin Fold Down Mini Fold Down	1. Select Model: Write quantity in box provided	Single Fold Down Item No. 0137602 Twin Fold Down Item No. 0137951	Rotary M38 Item No. 0139339 Rotary M48 Item No. 0139340 Rotary M58
3. Colour Item No. See page 3 - Rotary See page 4 - Fold Down 4. Is a matching Ground Mount Kit required? Write quantity in box provided or tick NO.	Yes - With Base Model	2. Size Required: Fold Down Clothesline Rotary Clothesline	Width in mm - Value from Box A (Maximum width 2,980mm) Depth in mm - Value from Box B (Select from table) Hanging Arm Height - Value from Box C	A
5. Ground Mount Kit Item No. See page 5		3. Select Colour: 4. Is a matching Ground Mount Kit required for your Fold Down Clotheslin Write quantity in box p		
Customer Confirmation: The customer accepts full responsibility for the measu colour and sizes provided are correct. All orders are file				

Customer Signature	Date

Please email this form to customerservice@daytek.com.au to provide us with the measurements and colour required.

Note: Please allow up to 14 business days for delivery to store.

Daytek Australia Pty. Ltd.

77-81 Gower Street, Preston, Victoria 3072 Australia T +61 3 9470 1755 F +61 3 9470 5381 E customerservice@daytek.com.au For more details on the Daytek range of products or to view our warranty details please visit our website.

daytek.com.au





How It Works

It's as simple as 1,2,3! Follow the steps shown to purchase or order your product. If you need further advice, speak to a team member at the Special Orders Desk in-store.

1. Select The Product You Want

View the extensive range available in this brochure or online. Use the item number shown below to order your product online or in-store.



2. Order Online or at the Special Orders Desk

After you have selected the product you want, take this brochure to the Special Orders Desk or order online at bunnings.com.au

3. Get It Home

We Will Deliver

Delivery to your home or site can be arranged online or in-store when purchasing your products.

Pick-Up In-Store

If you decide to pick-up in-store and need help to get it home, you can:

- borrow a courtesy trailer
- hire a vehicle

Check with your local Bunnings store for availability.

Ask us about Additional Services





